




It's the MelaWood[®] Guide.

Design, manufacture, craft and care



PG Bison produces MelaWood® in accordance with:

SANS 50312 : 2015 (EN 312 : 2010) (P2) for BisonBord® substrate; and
SANS 540-1: 2009 and EN 622-5: 2009 for SupaWood® substrate; and
EN 14322 : 2017 (Table 1)

Applications



interior



kitchens



cupboards



carcasses



shelving



doors and drawers



built in cupboards



furniture



fixtures

Generic names: melamine faced board • MFB • low pressure board

MelaWood® is PG Bison's leading brand of melamine faced board. Our range of trend setting designs and finishes are globally inspired and carefully selected to meet your needs, right here at home.

It is made by bonding melamine-impregnated décor paper to both surfaces of our top-quality board using heat and pressure. This one-shot process creates a closed, durable, scratch and moisture resistant surface that is easy to clean.

MelaWood®'s exposed edges must be properly edged using a suitable glue and edging material to give the board the best possible protection in areas where there is a chance of it being exposed to moisture.

MelaWood® is locally manufactured by PG Bison, so you can work in confidence knowing product is readily available and technical back-up is just a call away.

Ideal for medium duty vertical and light horizontal applications, such as freestanding and built-in cupboards, door and drawer frontals, carcasses and shelving, wall cladding and interior building elements, MelaWood® is perfect for kitchens, offices and shops.



New Anti-Bacterial Additive
 Of course, PG Bison MelaWood® always looks great and its 100% closed melamine-resin surface already provides an excellent impervious barrier. But PG Bison now gives you a deeper level of protection. Because now, a special anti-bacterial additive is blended into our locally manufactured melamine resin, destroying bacteria, that may come to rest on the surface of the MelaWood®, within hours. This additional built-in protective layer makes MelaWood® Anti-Bacterial the perfect solution for hygiene-sensitive, high-traffic areas where cleanliness alone is insufficient, such as healthcare facilities, office spaces, schools, restaurants, retail and even at home.

MelaWood® on BisonBord®

MelaWood® sold in pack sizes only

Thickness	Pack size	Sheet sizes and tonnage		Availability	
		2750mm x 1840mm		3660mm x 1840mm	
12mm	40	1.84 tons	MTO	2.43 tons	MTO
16mm	30	1.71 tons	MTS	2.20 tons	MTO
18mm	30	1.93 tons	MTO	2.50 tons	MTO
22mm	25	1.88 tons	MTO	2.49 tons	MTO
25mm	20	1.70 tons	MTO	2.25 tons	MTO
32mm	15	1.62 tons	MTO	2.15 tons	MTO

MelaWood® on SupaWood®

MelaWood® sold in pack sizes only







Thickness	Pack size	Sheet sizes and tonnage		Availability	
		2750mm x 1840mm			
12mm	40	2.04 tons		MTO	
16mm	30	2.08 tons		MTO	
18mm	30	2.29 tons		MTO	
22mm	25	2.22 tons		MTO	
30mm	15	1.84 tons		MTO	

MTO Make To Order; Subject to quoted lead time and / or minimum order quantity
 MTS Make To Stock







Range Samples




DEMAND RANGE




ACCENT RANGE





Folkstone Grey™

Peen



Iceberg White™

Peen




Petrol Blue™

Peen




Picco White™

Strata



Storm Grey™

Peen




Super Black™

Peen




VALUE RANGE



African Wenge™

Peen




American Walnut™

Fusion




Black Cherry™

Peen




Brookhill™

Fusion




Burgan Mahogany™

Peen



Cadbury Oak™

Linear



Etimo™

Peen



Harvard Cherry™

Fusion




Haven™

Fusion




Lockeport™

Linear



Maidenwood™

Fusion



Natural Oak™

Peen




Shale Oak™

Linear



Stonetown™

Linear




Summer Oak™

Peen



Vancouver Maple™

Peen



Windsor Cherry™

Peen



As products, tools, machine technologies, processes and value add activities continuously develop, please always refer back to our website for changes and updated product guidelines at:

<https://www.pgbison.co.za>

Subject to our standard terms and conditions of sale, PG Bison warrants only the performance properties of our products as set out in our technical data sheets.

Please run detailed trials and tests to verify how your established procedure is affected before using any product contained herein in normal production.

DISCLAIMER

Please Note: The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which PG Bison assumes responsibility, legal or otherwise. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. No warranty of fitness for a particular purpose is made. Nothing herein is to be taken as permission, inducement or recommendation to practice any patented invention without a licence.

Whilst every care is taken to ensure the colour samples you see here are as close as possible to the real thing, please be aware there may still be slight differences between the colour in the brochure and the actual product due to the brochure production process. Before making your final decision, please be sure that you're 100% happy with the colour and finish you have chosen by asking to see a larger piece of the actual product. **PG Bison cannot be held responsible for any difference in the colours represented here to that of the actual product.**

CUSTOMER SERVICE CENTRE 0860 579 196

JOHANNESBURG 011 897 5200

CAPE TOWN 087 357 7989

DURBAN 087 350 0874

EXPORTS 011 897 5200



[pgbison.co.za](https://www.pgbison.co.za)



PG Bison is a division of KAP Diversified Industrial (Pty) Ltd
PG Bison is a member of Proudly South African
PG Bison is a member of the Kitchen Specialists Association (KSA)